

## COLOUR

The durability of a film doesn't only depend on the adhesive and the film quality, but also on the colour stability of the film.

In general, black and white films have a longer life than coloured ones. Green and blue are more stable colours than, for example, red. This is due to the pigments used, for which the life span may differ, depending on the colour used.

In a lot of industries, standard colour tables are used to make work easier. The car and construction industries, for example, use the RAL colours, while the printing industry makes use of Pantone colours.

In this manual you will find a colour reference table of our Grafitack colours with their respective Pantone and RAL colours. **Please note that the references are only approximate.**

GRAFITACK REMOVABLE SERIES				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
R02	black	9005	28-30-33	18-9-0-87
R09	white	9003	254-252-253	0-1-0-0

GRAFITACK 400 SERIES FLUOR				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
411	803	1026	255-255-0	5-0-100-0
412	802	6018	96-152-57	42-0-63-40
413	804	2007	255-178-0	0-45-100-0
416	-	3026	255-42-27	0-80-100-0

GRAFITACK GEF SERIES				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
GEF(M)01	white	9003	242-243-255	5-5-0-0
GEF(M)05	4685	1015	230-210-181	5-10-30-0
GEF(M)11	107	1018	251-202-47	0-16-81-5
GEF(M)13	109	1021	255-189-0	0-26-100-0
GEF(M)15	116	1023	255-168-0	0-34-100-0
GEF(M)17	123	1033	255-148-53	0-42-79-0
GEF(M)22	1585	2003	255-92-47	0-64-82-0
GEF(M)25	166	2008	255-96-50	0-62-81-0
GEF(M)26	166	2008	255-96-50	0-62-81-0
GEF(M)31	173	2002	223-0-44	0-100-80-12
GEF(M)33	179	2002	223-0-44	0-100-80-12
GEF(M)35	187	3000	197-0-53	0-100-73-23
GEF(M)37	194	3001	190-0-46	0-100-76-25
GEF(M)38	194	3001	190-0-46	0-100-76-25
GEF(M)40	299	5012	0-178-225	100-21-0-12
GEF(M)42	300	5015	0-145-198	100-27-0-22
GEF(M)44	294	5005	0-111-165	10-32-0-35
GEF(M)46	286	5010	0-103-200	100-49-0-22
GEF(M)48	287	5002	0-76-138	100-45-0-46
GEF(M)49	280	5013	0-70-121	100-42-0-53
GEF(M)50	326	5018	0-188-178	100-0-5-26
GEF(M)52	360	6018	116-170-67	32-0-61-33
GEF(M)53	361	6018	79-165-47	52-0-72-35
GEF(M)54	361	6018	79-165-47	52-0-72-35
GEF(M)55	347	6024	0-157-92	100-0-41-39
GEF(M)56	348	6024	24-109-62	78-0-43-57
GEF(M)57	3415	6029	0-145-108	100-0-26-43
GEF(M)59	343	6005	15-72-55	79-0-24-72
GEF(M)63	462	8011	112-70-57	0-38-50-56
GEF(M)66	462	8011	112-70-57	0-38-50-56
GEF(M)73	423	7037	125-132-133	6-1-0-48
GEF(M)76	425	7037	89-96-98	10-2-0-61
GEF(M)77	425	7043	83-85-88	6-3-0-66
GEF(M)80	black	9005	24-28-32	26-12-0-87
GEF(M)90	silver	9006	157-162-167	6-3-0-35
GEFM92	gold	gold	201-151-99	0-25-51-21

GRAFITACK PROMO SERIES GLOSSY				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
P100	transparent	transparent	254-254-255	0-0-0-0
P101	white	9016	254-252-253	0-1-0-0
P111	603	1016	251-202-47	0-16-81-5
P113	1355	1021	255-184-0	0-28-100-0
P115	7409	1003	255-163-0	0-36-100-0
P116	121	1018	255-192-64	0-25-75-0
P117	123	1033	255-148-53	0-42-79-0
P122	1585	2003	255-92-47	0-64-82-0
P123	1476	2012	213-101-77	10-80-70-0
P132	199	3028	204-44-36	0-100-90-0
P135	187	3000	197-0-53	0-100-73-23
P136	1805	3002	199-0-52	0-100-74-22
P137	7420	4002	141-60-75	25-90-50-30
P140	2143	5012	0-178-225	100-21-0-12
P142	300	5015	0-145-198	100-27-0-22
P144	2187	5017	0-111-165	10-32-0-35
P146	286	5010	0-103-200	100-49-0-22
P147	2140	5002	0-78-125	100-38-0-51
P148	287	5002	0-76-138	100-45-0-46
P150	326	5018	0-188-178	100-0-5-26
P152	360	6018	116-170-67	32-0-61-33
P153	361	6018	79-165-47	52-0-72-35
P154	347	6024	0-150-99	100-0-34-41
P155	348	6024	0-157-92	100-0-41-39
P157	3415	6029	0-145-108	100-0-26-43
P159	462	6005	15-72-55	79-0-24-72
P167	439	8019	61-54-53	50-50-40-80
P173	423	7037	125-132-133	6-1-0-48
P177	430	7000	122-136-142	35-5-10-40
P180	black	9005	28-30-33	18-9-0-87
P190	silver	9006	157-162-167	6-3-0-35
P191	gold	gold	209-157-101	0-25-52-18
P195	2046	4010	188-64-119	15-100-15-10

GRAFITACK PROMO SERIES MATT				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
P101M	white	9003	246-246-254	3-3-0-0
P111M	107	1018	255-220-62	0-14-76-0
P113M	1355	1021	255-184-0	0-28-100-0
P114M	143	1033	249-154-28	0-50-100-0
P123M	1476	2012	213-101-77	10-80-70-0
P132M	199	3028	204-44-36	0-100-90-0
P134M	1807	3031	166-52-55	20-100-70-10
P135M	187	3002	197-0-53	0-100-73-23
P136M	1805	3002	199-0-52	0-100-74-22
P138M	7420	4002	141-60-75	25-90-50-30
P141M	7385	5015	0-145-198	100-27-0-22
P144M	2187	5017	0-111-165	10-32-0-35
P145M	646	5007	55-107-140	80-50-20-20
P147M	2140	5002	0-78-125	100-38-0-51
P153M	361	6018	77-165-44	53-0-73-35
P158M	7725	6024	0-157-92	100-0-41-39
P167M	439	8019	61-54-53	50-50-40-80
P172M	428	7038	176-176-169	5-0-10-30
P173M	423	7037	123-130-132	7-2-0-48
P175M	cool grey 5	7042	142-146-145	30-20-30-30
P176M	430	7000	122-136-142	35-5-10-40
P180M	black	9005	24-28-32	26-12-0-87
P190M	silver	9006	157-162-167	6-3-0-35
P191M	gold	gold	201-151-99	0-25-51-21
P195M	2046	4010	188-64-119	15-100-15-10

GRAFITACK 100 SERIES				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
1100	white	9003	236-236-231	0-0-0-0
1101	white	9016	254-252-253	0-1-0-0
1102	114	1018	255-192-64	0-25-75-0
1103	285	5015	0-144-199	100-28-0-22
1104	336	6029	0-130-88	100-0-32-49
1105	187	3002	186-0-48	0-100-74-27
1106	black	9004	25-29-33	22-10-0-87
1110	244	4003	196-97-140	10-80-5-5
1111	541	5019	0-106-161	100-34-0-37
1112	219	4010	200-39-130	0-81-35-22
1113	1775	3015	216-160-166	5-40-20-0
1114	1795	2002	227-0-47	0-100-79-11
1115	4635	8003	150-85-54	0-43-64-41
1116	462	8011	95-56-38	30-70-90-70
1117	415	7030	158-149-141	0-5-11-38
1118	431	7012	90-98-103	13-5-0-60
1119	164	2003	255-95-39	0-63-85-0
1120	134	1014	255-210-164	0-18-36-0
1121	108	1018	255-189-0	0-26-100-0
1122	136	1033	255-146-36	0-43-86-0
1123	299	5012	0-188-236	100-20-0-7
1124	289	5000	0-70-106	100-34-0-58
1125	368	6018	112-167-63	33-0-62-34
1126	3295	6016	0-105-76	100-20-80-25
1127	356	6032	0-128-70	100-0-46-50
1128	229	4004	100-29-57	0-71-43-61
1129	476	8028	79-58-42	0-27-97-69

GRAFITACK 100 SERIES				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
1160	108	1021	255-184-0	0-28-100-0
1161	123	1003	255-163-0	0-36-100-0
1162	187	3020	210-0-48	0-100-77-18
1163	343	6016	0-101-75	100-0-26-61
1164	306	5012	0-200-235	100-15-0-8
1165	302	5005	0-111-153	100-27-0-40
1166	281	5002	0-78-125	100-38-0-51
1167	296	5011	18-44-69	74-37-0-73
1168	320	5021	0-178-178	100-0-0-30
1169	187	3002	199-0-52	0-100-74-22
1170	127	1014	255-212-163	0-17-36-0
1171	109	1021	255-189-0	0-26-100-0
1172	123	1003	255-163-30	0-36-88-0
1173	2995	5012	0-173-216	100-20-0-15
1174	289	5003	0-65-102	100-36-0-60
1175	369	6018	101-168-70	40-0-58-34
1176	335	6016	0-145-114	100-0-22-43
1177	356	6032	0-126-68	100-0-46-51
1178	229	4004	99-35-59	0-65-40-61
1179	4625	8017	78-55-46	0-29-41-69
1181	white	9003	246-248-255	3-3-0-0
1182	108	1018	255-191-0	0-25-100-0
1183	151	2003	255-94-39	0-63-85-0
1184	541	5005	0-106-160	100-34-0-37
1185	348	6024	0-150-99	100-0-34-41
1186	201	3002	181-0-45	0-100-75-29
1187	black	9005	10-12-16	13-13-0-94
1188	244	4003	195-145-199	2-27-0-22
1189	234	4010	197-40-126	0-80-36-23
1190	1775	3015	216-160-166	5-40-20-0
1191	1795	2002	229-0-51	0-100-78-10
1192	464	8003	150-85-56	0-43-63-41
1193	469	8011	98-60-47	0-39-52-62
1194	415	7030	158-149-140	0-6-11-38
1195	432	7012	88-95-97	10-3-0-62
1196	2747	5002	0-75-137	100-46-0-46

GRAFITACK 200 SERIES				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
1210	white	9003	240-247-255	6-3-0-0
1211	127	1014	249-197-152	0-21-39-3
1212	125	1024	192-138-90	0-28-53-25
1213	137	1003	255-169-0	0-34-100-0
1214	298	5012	0-187-230	100-19-0-10
1215	302	5010	0-103-137	100-25-0-46
1216	5395	5004	7-39-54	87-28-0-79
1217	5425	5024	129-169-187	31-10-0-27
1218	446	7016	84-84-84	0-0-0-67
1219	342	6005	0-90-67	100-0-25-65
1220	4625	8017	70-25-20	0-64-71-73
1221	black	9005	27-29-32	17-9-0-87
1222	2995	5015	0-177-224	100-21-0-12
1223	280	5002	0-72-124	100-42-0-51
1224	348	6016	0-134-89	100-0-34-47
1225	silver	silver	157-162-167	6-3-0-35
1226	gold	gold	201-151-99	0-25-51-21
1227	375c	6018	132-197-73	33-0-63-23
1228	361	6017	72-160-45	55-0-72-37
1229	381	6019	220-217-75	0-2-66-14
1236	211	4003	196-97-140	10-80-5-5
1238	2597	4007	76-71-154	50-54-0-39
1240	102	1018	255-207-6	0-19-98-0
1241	108	1021	255-193-3	0-24-99-0
1242	442	7038	189-189-186	0-0-1-26
1243	443	7042	143-148-145	3-0-2-42
1244	301	5005	0-104-154	100-32-0-40
1245	2573	4001	147-125-199	26-38-0-22
1246	320	5021	0-178-178	100-0-0-30
1247	3255	6027	0-208-178	100-0-14-18
1248	234	4006	179-27-110	0-85-38-30
1260	3005	5015	0-145-204	100-29-0-20
1261	286	5017	0-126-181	100-30-0-29
1262	280	5003	0-77-134	100-42-0-48
1263	432	7043	83-85-88	6-3-0-66
1264	424	7005	113-115-113	2-0-2-55
1265	142	1003	255-154-0	0-39-100-0
1266	2735	-	0-97-192	100-50-0-25
1267	281	5013	0-65-102	100-37-0-60
1268	195	3003	150-0-40	0-100-73-41
1273	109	1023	255-168-0	0-34-100-0

GRAFITACK 300 SERIES				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
1328	136	1028	255-134-8	0-48-97-0
1329	138	2000	243-127-64	0-48-74-5
1330	166	2008	255-85-18	0-67-93-0
1331	485	2002	228-0-43	0-100-81-10
1332	200	3000	197-0-43	0-100-78-23
1333	209	3004	114-31-53	0-73-54-55
1334	877	9006	183-186-190	4-2-0-25
1335	871	-	197-165-128	0-16-35-23
1336	445	7043	84-93-93	10-0-0-64
1337	220	4010	197-40-126	0-80-36-23
1338	173	2009	255-30-27	0-88-90-0
1339			195-0-39	0-100-80-24

GRAFITACK 200/300 SERIES AIR ESCAPE				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
1210AE	white	9003	240-247-255	6-3-0-0
1221AE	black	9005	27-29-32	17-9-0-87
1224AE	348	6016	0-134-89	100-0-34-47
1262AE	280	5003	0-77-134	100-42-0-48
1273AE	109	1023	255-168-0	0-34-100-0
1330AE	166	2008	255-85-18	0-67-93-0
1331AE	485	2002	228-0-43	0-100-81-10
1332AE	200	3000	197-0-43	0-100-78-23

GRAFITACK TRANSLUCENT SERIES				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
TL1128	114	1021	255-187-0	0-27-100-0
TL1129	3415	6029	0-135-73	100-0-46-47
TL1130	285	5017	0-146-211	100-31-0-17
TL1131	1805	3000	200-0-36	0-100-82-22
TL1149	white	9003	255-251-243	0-1-5-0
TL1151	444	7042	142-146-145	30-20-30-30
TL1207	181	3011	121-36-35	20-100-40-40
TL1211	3275	6016	0-105-76	100-20-80-25
TL1246	320	5018	0-185-185	100-0-0-27
TL1710	300	5015	0-163-223	100-27-0-13
TL1712	289	5003	0-67-97	100-31-0-62
TL1713	540	5010	0-103-137	100-25-0-46
TL1720	2613	4007	91-2-113	19-98-0-56
TL1750	123	1003	255-155-0	0-39-100-0
TL1755	280	5002	0-58-155	100-63-0-39
TL1760	360	6018	117-198-0	41-0-100-22
TL1762	166	2009	254-65-19	0-74-92-0
TL1770	240	4006	204-0-124	0-100-39-20
TL1771	209	3004	130-0-40	0-100-69-49
TL1772	497	8016	90-53-50	0-41-44-65
TL1773	109	1023	255-187-0	0-27-100-0
TL1774	123	1028	255-150-18	0-41-93-0
TL1775	3308	7011	82-89-93	40-15-15-70
TL1776	3282	5021	0-156-149	100-0-5-39
TL1777	3302	6026	0-100-77	100-0-23-61
TL1778	179	2002	233-8-33	0-97-86-9
TL1779	187	3001	192-0-42	0-100-78-25
TL1780	1795	3020	244-0-61	0-100-75-5
TL1781	294	5005	0-98-151	100-35-0-41
TL1782	354	6024	0-177-107	100-0-40-31
TL1800	black	9011	25-29-32	22-11-0-87
TL1900	gold	gold	220-172-113	0-22-49-14
TL1901	877U	9006		

The colours have been compared without back-lighting the film !

GRAFICAST CAST SERIES				
GRAFITACK NUMBER	PANTONE NUMBER	RAL NUMBER	RGB VALUES	CMYK VALUES
SC1000	transparent	transparent		
SC1001	white	9003	255-255-255	0-0-0-0
SC1002	black	9005	32-32-32	0-3-0-87
SC1020	102	1018	255-210-0	0-18-100-0
SC1021	109	1021	255-189-0	0-26-100-0
SC1022	116	1023	255-170-0	0-33-100-0
SC1023	123	1028	255-146-14	0-43-95-0
SC1030	144	2008	255-86-32	0-66-87-0
SC1050	185	2002	225-0-37	0-100-84-12
SC1051	200	3000	199-0-45	0-100-78-22
SC1052	193	3002	198-0-43	0-100-78-22
SC1053	240	4006	144-51-115	40-100-0-15
SC1054	188	3003	128-15-42	0-88-67-50
SC1055	193	3001	194-0-44	0-100-77-24
SC1086			99-102-105	6-3-0-59
SC1100	298	5012	0-195-239	100-18-0-6
SC1101	299	5012	0-195-239	100-18-0-6
SC1102	3005	5015	0-159-207	100-23-0-19
SC1103	301	5005	0-105-156	100-33-0-39
SC1104	288	5002	0-85-136	100-38-0-47
SC1105	294	5003	0-76-126	100-40-0-51
SC1106	296	5013	0-53-83	100-35-0-68
SC1107	3005	5015	0-140-196	100-29-0-23
SC1108			0-61-101	100-40-0-60
SC1110	2597	4007	75-68-135	44-50-0-47
SC1123	315	5001	0-120-129	100-7-0-49
SC1124	3282	6033	0-128-159	100-0-13-29
SC1125	3155	5021	0-145-146	100-1-0-43
SC1150	360	6018	129-191-81	33-0-58-25
SC1151	361	6017	42-154-47	73-0-70-40
SC1152	348	6029	0-133-72	100-0-46-48
SC1153	349	6016	0-131-87	100-0-33-49
SC1154	3308	6005	0-93-70	100-0-25-64
SC1155	3395	no RAL	0-201-147	100-0-27-21
SC1159			76-92-68	18-0-26-64
SC1200	435	7038	189-190-187	1-0-2-25
SC1201	cool grey 6C	7042	143-148-146	4-0-1-42
SC1202	438	7016	70-77-80	13-5-0-68
SC1250	1345	1014	255-212-163	0-17-36-0
SC1251	4505	1011	192-139-88	0-28-54-25
SC1252			191-150-113	0-22-41-25
SC1253	4635	8003	127-70-45	0-45-65-50
SC1254	478	8007	117-64-39	0-45-67-54
SC1256	186	3020	209-0-42	0-100-80-18
SC1270	349	6029	0-110-70	100-0-36-57
SC1501	wit	9003	240-247-255	6-3-0-0
SC1521	109	1021	255-187-0	0-27-100-0

CM50	silver	silver	157-162-167	6-3-0-35
CM51	gold	gold	220-172-113	0-22-49-14
CM55	silver	silver	157-162-167	6-3-0-35
CM56	438	7016	52-62-66	60-30-20-80